

Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

1. IDENTIFICATION

Product Description: STRAWBERRY FURANONE 20% IN ETHYL ALCOHOL

CAS# MIXTURE

Other means of identification

Qaroma Item # 1111623

Recommended use Concentrated aromatic and flavor ingredients which may be used in flavor and fragrance

compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.

Recommended restrictions For Manufacturing Use Only

Company

Qaroma Incorporated

8055 TX-60 S

Bay City, TX, 77414 call: 979-244-0100

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Qaroma Incorporated

Address 8055 TX-60 S

Bay City, TX, 77414

United States

Telephone For information call: 979-244-0100

E-mail ehsbc@chemicalsinc.

com

Emergency phone number 979-244-0100

2. HAZARD(S) IDENTIFICATION

HAZARDS H225 HIGHLY FLAMMABLE LIQUID AND VAPOR

H303 Harmful if swallowed - Category 4

H313 Harmful in contact with skin - Category 1

H315 Skin irritation - Category 1

H317 Cause allergic skin reaction – Category 1

H318 Cause eye damage - Category 1

PRECAUTIONS P201 Obtain special instruction before use

P202 Do not handle without all safety precautions

P264 Wash hands thoroughly after handling

P272 Neat work clothes

P273 Avoid release to the environment

P281 Strict use of personal protective equipment



Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PROPYLENE GLYCOL	Propan-1,2-diol 1,2 dihydroxypropane	57-55-6	76 - < 82
	trimethyl glycol		
	methyl ethylene glycol		
4- hydroxy- 2,5-dimethylfuran-		3658-77-3	18 - < 24
3-one	2,5-DIMETHYL-4-HYDROXY-3-FURANO NE DIMETHYLHYDROXY FURANONE		
	3(2H)-Furanone, 4-hydroxy-2,5-dimethyl-4-Hydroxy-2,5-dimethylfuran-2(3H)-one		

4. FIRST-AID MEASURES

Inhalation Taken away from the site of accident and given medical assistance

Skin contact

Wash well with water and soap. Contact the physician if symptoms persist.

Eye contact Flush the eyes with plenty of fresh water. Get medical assistance immediately

Ingestion Immediately rinse the mouth with water and get medical assistance.

Symptoms Headache. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms

may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness

Indication of immediate medical attention and special treatment

needed

Not available.

General information Ensure that medical personnel are aware of the material(s) involved and take precautions to protect

themselves. Show this safety data sheet to the doctor in attendance.

symptoms/effects Eye damage, Headache, corrosive skin damage.



Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

Indication of immediate medical attention and special treatment needed

Not available.

needed

General information

Provide all the necessary documents regarding this chemical to the physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media
Unsuitable extinguishing media
Specific hazards arising from

Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Do not use a solid water stream as it may scatter and spread fire. Fire

Specific hazards arising from the chemical

may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters' protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Firefighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from the fire area if you can do sowithout risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Methods and materials for containment and cleaning up

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust, or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination.



Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

Environmental precautions Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local

authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if

safe to do so. Do not contaminate the water.

7. HANDLING AND STORAGE

Precautions for safe handling Do not handle or store near an open flame, heat, or other sources of ignition. Take precautionary

measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly to control possible

pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Biological limit values

No biological exposure limits noted for the ingredient(s).

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Wear safety glasses with side shields (or

goggles). Face shield is recommended.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.



Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Pale Yellow Liquid.

Physical state Liquid.
Purity (%) 20 to 25

Color Pale yellow.

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point > 200.0 °F (> 93.3 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Not available.

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Explosive properties Not explosive.

Molecular formula Not applicable

Oxidizing properties Not oxidizing.

Specific gravity 1.06 at 25 °C



Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

10. STABILITY AND REACTIVITY

Reactivity Chemical stability product is stable and non-reactive under normal conditions of use, storage, and

transport.Material is stable under normal conditions

Possibility of hazardousreactions

Conditions to avoid

No dangerous reaction known under conditions of normal use

Avoid heat, sparks, open flames, and other ignition sources. Avoid temperatures

exceeding theflash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition productsNo hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical, and toxicological characteristics

Headache. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye

damage including blindness could result. Coughing.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

12. ECOLOGICAL INFORMATION

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Partition coefficient n-octanol / water (log Kow)

ETHYL ALCOHOL -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.



Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

13. DISPOSAL

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material

to drain into sewers/water supplies. Do not contaminate ponds, waterways, or ditches with

chemical or used containers. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues Empty containers or liners may retain some product residues. This material and its

container mustbe disposed of in a safe manner

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after the container

isemptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORTATION

UN Number

ADR/RID: 1760 IATA/IMDG: 1760 DOT BULK / DOT NON-BULK: 1760

UN Proper shipping name

ADR/RID: CORROSIVE LIQUID, N.O.S. (4- hydroxy- 2,5-dimethylfuran- 3-one)

IATA/IMDG: CORROSIVE LIQUID, N.O.S. (4- hydroxy- 2,5-dimethylfuran- 3-one)

DOT BULK / DOT NON-BULK : CORROSIVE LIQUID, N.O.S. (4- hydroxy- 2,5-dimethylfuran- 3-one)

Transport hazard class(es)

ADR/RID: 8 IATA/IMDG: 8 DOT BULK / DOT NON-BULK: 8

Packing group

ADR/RID: III IATA/IMDG: III DOT BULK / DOT NON-BULK: III

Environmental hazards

ADR/RID: No IATA/IMDG: No DOT BULK / DOT NON-BULK: No



Issue date: 11-28-2023 Revision # 0 Print date: 04-04-2024

1. REGULATORY INFORMATION

US federal regulations "Hazardous Chemical" as defined by the OSHA Hazard CommunicationStandard, 29

CFR 1910.1200.

Toxic Substances Control Act (TSCA)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Flammable (gases, aerosols, liquids, or solids)

categories

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)